



Corporate Medical Policy

Botulinum Toxin Injection

File Name: botulinum_toxin_injection
Policy Number: DRU4020
Origination: 8/1985
Last Review: 5/2008
Next Review: 5/2010

Description of Procedure or Service

Botulinum Toxin has been used to treat various conditions characterized by exaggerated muscle contraction or increased muscle tone. Injection of highly diluted doses of Botulinum Toxin into affected muscles can decrease excess muscle activity without causing significant functional weakness. The toxin produces a localized loss of nerve supply to the muscle thereby blocking [neuromuscular](#) transmission. The goals of treatment are to improve function, prevent complications, and relieve pain. There are two preparations of botulinum available that are produced by two different strains of bacteria: type A (Botox®) and type B (Myobloc®).

Type A (Botox®) is more potent and longer acting than type B (Myobloc®). Units and dosing are not equivalent and cannot be interchanged.

***Please note that the US Food & Drug Administration (FDA) has issued an early communication regarding an on-going safety review regarding the use of botulinum toxin. It has been reported that there have been serious systemic adverse reactions including respiratory distress and death from botulinum toxins types A and B. The adverse events have occurred in both FDA approved and unapproved uses. Most of the adverse events have occurred in children treated for cerebral palsy associated limb spasticity. Safety, efficacy and dosage has not be established of the use of Botulinum toxins for limb spasticity of cerebral palsy or any condition in children under the age of 12. The FDA plans to communicate to the public its findings, resulting recommendations, and any regulatory actions after the review of the data are completed

Policy

BCBSNC will provide coverage for Botulinum Toxin Injection when it is determined to be medically necessary because the medical criteria and guidelines shown below are met.

Benefits Application

Please refer to Certificate for availability of benefits. This policy relates only to the services or supplies described herein. Benefits may vary according to benefit design, therefore certificate language should be reviewed before applying the terms of the policy.

Policy: Botulinum Toxin Injection

When Botulinum Toxin Injection is covered

1. Botulinum toxin may be considered medically necessary to treat the following FDA labeled indications:
 - a. [strabismus](#),
 - b. [blepharospasm](#),
 - c. facial nerve (VII) disorders, such as [hemifacial spasm](#), or
 - d. [cervical dystonia](#) (see "Policy Guidelines" section for use of Botulinum Toxin for this indication).
2. Botulinum toxin may be considered medically necessary as off-labeled FDA indications for the treatment of [dystonia](#)/spasticity resulting in functional impairment (interference with joint function, mobility, communication, nutritional intake) and/or pain in patients with the following hereditary, degenerative, or demyelinating diseases of the central nervous system. *****Use of botulinum toxin for off-label indications should only be done when the treating physician has determined that the benefits of the treatment clearly outweigh the risks of the therapy.**
 - a. Idiopathic (primary or genetic) torsion [dystonia](#);
 - b. Symptomatic (acquired) torsion [dystonia](#);
 - c. Oromandibular dystonia (orofacial [dyskinesia](#), Meige syndrome);
 - d. laryngeal [dystonia](#) and adductor [spasmodic dysphonia](#)
 - e. Organic writer's cramp (focal upper limb [dystonia](#)).
 - f. Hereditary spastic paraplegia;
 - g. Neuromyelitis optica;
 - h. Multiple sclerosis or Schilder's disease;
 - i. Spastic hemiplegia;
 - j. [Spasticity](#) related to stroke;
 - k. Spinal cord or traumatic brain injury;
 - l. Infantile cerebral palsy;
3. Botulinum toxin may be considered medically necessary in patients with the following off-labeled FDA indications: *****Use of botulinum toxin for off-label indications should only be done when the treating physician has determined that the benefits of the treatment clearly outweigh the risks of the therapy.**
 - a. [torticollis](#) (whether congenital, traumatic, or due to child birth injury) (See "Policy Guidelines" section for use of Botulinum Toxin for this indication);
 - b. lower esophageal [achalasia](#) where the patient has not responded to dilation therapy or where the patient is considered a poor surgical candidate;
 - c. chronic anal fissure;
 - d. incontinence due to [detrusor](#) overreactivity, either idiopathic or due to neurogenic causes (i.e., spinal cord injury, multiple sclerosis), that is inadequately controlled with anticholinergic therapy.
4. Botulinum toxin may be considered medically necessary in patients with gustatory hyperhidrosis ([Frey's Syndrome](#)) following parotid surgery.

NOTE: Refer to separate policy number MED1215, titled "Hyperhidrosis, Treatment of " regarding Botulinum toxin injection guidelines for patients with primary Hyperhidrosis.

Policy: Botulinum Toxin Injection

When Botulinum Toxin Injection is not covered

1. For conditions other than those listed above.
2. Botulinum toxin is considered not medically necessary as a treatment of:
 - a. wrinkles
 - b. other cosmetic indications.
3. Botulinum toxin is considered investigational for other indications, including but not limited to:
 - a. headaches including migraine, chronic tension, chronic daily, and cervicogenic or "cervicodystonic" headaches,
 - b. chronic low back pain,
 - c. joint pain,
 - d. mechanical neck disorders,
 - e. neuropathic pain after neck dissection,
 - f. [myofascial pain syndrome](#),
 - g. pain after hemorrhoidectomy or lumpectomy,
 - h. tremors such as benign essential tremor (upper extremity),
 - i. chronic motor [tic](#) disorder,
 - j. [tics](#) associated with Tourette syndrome (motor tics),
 - k. sialorrhea (drooling),
 - l. lateral epicondylitis,
 - m. benign prostatic hyperplasia,
 - n. interstitial cystitis,
 - o. [detrusor](#) overreactivity not due to spinal cord injury,
 - p. [detrusor sphincteric dyssynergia](#) (after spinal cord injury),
 - q. piriformis syndrome.
4. The use of assays to detect antibodies to botulinum toxin is considered investigational.

Policy Guidelines

This drug may require prior approval. In cases for which botox has been approved in the past, medical records are required yearly to document ongoing effectiveness of botox.

- A. Use of Botulinum Toxin for [Cervical Dystonia \(Spasmodic Torticollis\)](#): applicable whether congenital, due to child birth injury, or traumatic injury): **ALL** of the following criteria must be met:
 1. Postural disturbance and pain must be of moderate or greater severity as documented by interference with specific activities of daily living and unresponsive to a trial of appropriate standard conservative therapy that may include non-narcotic analgesics, muscle relaxants and physical modalities; **AND**
 2. There are [clonic](#) and/or [tonic](#) involuntary contractions of multiple neck muscles (that is, sternocleidomastoid, splenius, trapezius and/or posterior cervical muscles); **AND**
 3. There is sustained head torsion and/or tilt with limited range of motion in the neck; **AND**

Policy: Botulinum Toxin Injection

4. The duration of the condition must be greater than six months; **AND**
 5. Alternative causes of the patient's symptoms have been considered and ruled out including chronic neuroleptic treatment, [cervicogenic headaches](#), [myofascial pain syndrome](#), contractures or other [neuromuscular](#) conditions.
- B. Contraindications for use of Botulinum Toxin:
1. Absolute:
 - a. Inflammation or infection at the site of injection.
 - b. Allergy to the drug.
 2. Relative:
 - a. Inability of patient to cooperate
 - b. Coagulopathy
 - c. Disease of [neuromuscular](#) transmission:
 - i. Myasthenia Gravis
 - ii. Eaton Lambert Syndrome
 - iii. Amyotrophic lateral sclerosis
 - iv. Peripheral neuropathy
 - v. Motor neuron disease
 - d. Concurrent use of medications that affect [neuromuscular](#) transmission such as aminoglycoside antibiotics.

NOTE: Refer to separate policy number MED1215, titled "Hyperhidrosis, Treatment of " regarding Botulinum toxin injection guidelines for patients with primary Hyperhidrosis.

Billing/Coding/Physician Documentation Information

This policy may apply to the following codes. Inclusion of a code in this section does not guarantee that it will be reimbursed. For further information on reimbursement guidelines, please see Administrative Policies on the Blue Cross Blue Shield of North Carolina web site at www.bcbsnc.com. They are listed in the Category Search on the Medical Policy search page.

Applicable codes: 46505, 64612, 64613, 64614, 64653, 67345, 95873, 95874, J0585, J0587, S2340, S2341

BCBSNC may request medical records for determination of medical necessity. When medical records are requested, letters of support and/or explanation are often useful, but are not sufficient documentation unless all specific information needed to make a medical necessity determination is included.

Policy Key Words

Key Words: Botulinum -A Toxin, Botulinum B Toxin, Myobloc, Type A, Type B, Botulinum Toxin, Botulinum -A Blepharospasm treatment, Botulinum -A Strabismus treatment, Botulinum -A Hemifacial Spasm treatment, Botulinum -A Facial Spasm treatment, Botulinum -A Spasmodic Dysphonia or Torticollis treatment, Botox, Cervical Dystonia, Hyperhidrosis, Dysport, DRU4020

Medical Term Definitions

Achalasia

failure to relax of the smooth muscle fibers of the gastrointestinal tract at any point of junction of one part with another.

Blepharospasm

twitching of the eyelid

Cervical Dystonia

another term for spasmodic torticollis.

Cervicogenic headache

a somewhat controversial term that refers to a headache caused by disease or dysfunction of structures in the cervical spine. There is debate regarding the existence of cervicogenic headache as a distinct clinical disorder, as well as its underlying pathophysiology and source of pain. The leading explanation is that cervicogenic headache is caused by referred pain from the upper cervical joints.

Clonic

contraction/relaxation in rapid succession.

Detrusor

bundles of smooth muscle fibers forming the muscular coat of the urinary bladder which are arranged in a longitudinal and a circular layer and on contraction, serve to expel urine.

Detrusor sphincteric dyssynergia

contraction of the sphincter muscle of the urethra at the same time the detrusor muscle of the bladder is contracting, resulting in obstruction of normal urinary outflow.

Dyskinesia

distortion or impairment of voluntary movement.

Dystonia

distortion or impairment of voluntary movements due to disordered tonicity of muscle.

Frey's Syndrome

also called auriculotemporal syndrome. The appearance of a red area and of sweating on the cheek in connection with eating; seen in lesions of the parotid gland and due to some involvement of the auriculotemporal nerve.

Hemifacial spasm

spasm of muscles of one half of the face.

Myoclonus

rapid, shock-like muscle jerks that are involuntary.

Myofascial pain syndrome

a chronic pain syndrome occurring in a region of the body, characterized by painful muscles with increased tone and stiffness containing trigger points. A trigger point is a hyperirritable spot within a taut band of skeletal muscle or muscle fascia that is painful on compression, gives rise to characteristic pain referral patterns, and may elicit a twitch in the muscle.

Policy: Botulinum Toxin Injection

Neuromuscular

pertains to the nerves and the muscles.

Spasmodic

sudden violent and involuntary contractions of a muscle or group of muscles; may also involve pain and interference with function producing involuntary movement and distortion.

Spasmodic dysphonia

difficulty in speaking due to excessively vigorous adduction, or rarely abduction, of the vocal cords against each other, so that the voice is hoarse, soft, and strained.

Spasticity

increased muscle tone with heightened deep tendon reflexes.

Strabismus

deviation of the eye which the patient cannot overcome.

Tics

habitual, repeated contraction of certain muscles, resulting in stereotyped individualized actions that can be voluntarily suppressed for only brief periods, e.g., clearing of the throat, sniffing, pursing the lips, excessive blinking, etc. These tics are especially prominent when the person is under stress.

Tonic

a prolonged muscular contraction.

Torticollis

a contracted state of the cervical muscles, producing twisting of the neck and an unnatural position of the head.

Scientific Background and Reference Sources

Independent Review by Senior Director of Health Affairs - 5/94

Drobik C, Laskawi R. Frey's Syndrome: Treatment with botulinum toxin. *Acta Otolaryngol.* 1995; 115: 459-461.

TEC Bulletin - 2/26/96

Bjerkhoel A, Trobbe O. Frey's Syndrome: treatment with botulinum toxin. *The Journal of Laryngology and Otolology.* 1997; 111: 839-844.

Jost WH. One hundred cases of anal fissure treated with botulinum toxin. *Dis Colon Rectum* 1997 Sept;40:1029-32.

Laskawi R, Drobik C, Schonebeck, C. Up-to-date report of botulinum toxin type A treatment in patients with Gustatory Sweating (Frey's Syndrome). *Laryngoscope.* 1998; 108: 381-384.

Maria G, Casetta E, Gui D. A comparison of botulinum toxin and saline for the treatment of chronic anal fissure. *N Engl J Med* 1998 Jan.22;338:217-20.

Wheeler AH. Botulinum toxin A, adjunctive therapy for refractory headaches associated with pericranial muscle tension. *Headache* 1998 June;38:468-71.

Corporate Pharmacist - 5/99

USPDI 1999, Volume 1, 19th Edition, pgs. 627, 629, 3134

Policy: Botulinum Toxin Injection

BCBSA Medical Policy Reference Manual, 5.01.05 - 7/16/99 and 8.01.19 - 7/16/99 - 4/2000

Vazzi MF, Wilcox CM, Schreder PL et al. Botulinum toxin versus pneumatic dilatation in the treatment of achalasia: A randomized trial. *Gut* 1999 Feb;44:231-39.

Brisinda G, Maria G, Bentivoglio AR. A comparison of injections of botulinum toxin and topical nitroglycerin ointment for the treatment of chronic anal fissure. *N Engl J Med* 1999 July 8;341:65-69.

BCBSA Medical Policy Reference Manual, 8/18/00, 5.01.05

Medical Policy Advisory Group - 9/14/2000

Medical Policy Advisory Group - 10/2000

BCBSA Medical Policy Reference Manual, 5.01.05, 5/31/01

Specialty Matched Consultant Advisory Panel 6/2002

TEC Assessment, Botulinum Toxin for Treatment of Primary Chronic Headache Disorders. October 10, 2002

BCBSA Medical Policy Reference Manual, 5.01.05, 12/18/02

ECRI TARGET Report #848. Botulinum toxin for prevention and treatment of migraine. May 2003.

ECRI Hotline Response (April 22, 2004). Botulinum toxin for prevention and treatment of migraine. Retrieved on 5/24/04 from http://www.ta.ecri.org/Hotline/prod/summary/detail.aspx?doc_id=7319

Specialty Matched Consultant Advisory Panel - 6/2004

BCBSA Medical Policy Reference Manual, 5.01.05, 11/9/04

BCBSA Medical Policy Reference Manual, 5.01.05, 12/14/05

BCBSA Medical Policy Reference Manual, 5.01.05, 4/25/06

Specialty Matched Consultant Advisory Panel 6/2006

BCBSA Medical Policy Reference Manual [Electronic Version]. 5.01.05, 12/12/06.

Specialty Matched Consultant Advisory Panel (Urological indications) - 5/8/2007.

BCBSNC Internal Medical Directors' review 6/2007

U.S. Food & Drug Administration (FDA). Early communication about an ongoing safety review Botox and Botox Cosmetic (Botulinum toxin Type A) and Myobloc (Botulinum toxin Type B). Retrieved 2/25/2008 from http://www.fda.gov/cder/drug/early_comm/botulinum_toxins.htm.

BCBSA Medical Policy Reference Manual [Electronic Version]. 5.01.05, 10/7/08.

Policy Implementation/Update Information

8/85	Original Policy National Association - Investigational for blepharospasm
6/94	Evaluated: Local Policy issued covering Blepharospasm, Strabismus, Hemifacial spasm, Facial spasm, Spasmodic dysphonia, and Spasmodic torticollis. Investigational for chronic paralytic strabismus, treatment of dynamic deformity secondary to cerebral palsy.
4/96	Revised: Added additional covered indications and investigational indications, TEC Bulletin 2/96
4/97	Reaffirmed
5/99	Reaffirmed
7/99	Reformatted, Description of Procedure or Service changed, Medical Term Definitions added.

Policy: Botulinum Toxin Injection

- 4/2000 Statement added to section, "When Botulinum-A Toxin Injection is not covered", which says, "1) For conditions other than those listed above." System coding changes.
- 7/00 Added Gustatory sweating (Frey's Syndrome) as a covered indication. Specialty Matched Consultant Advisory Panel.
- 9/00 Medical Policy Advisory Group review. Approved. No change in criteria.
- 10/00 Revised. Criteria changes. Botulinum now eligible for coverage for achalasia, chronic anal fissure, and investigational for headache or migraine, myofascial pain syndrome, or tremors such as benign essential tremor, chronic motor tic disorder and tics associated with Tourette syndrome. Medical Policy Advisory Group - Approved.
- 04/01 Changes in formatting.
- 10/01 Policy name changed from Botulinum A Toxin Injection. Revised description to include type B Botulinum (Myobloc) and FDA labeled indications to include cervical dystonia. System application guidelines revised.
- 3/02 System coding changes. Added code J0587 to policy and removed code J3490.
- 5/02 Revised under when it is covered, number 3. a. to include, "and/or". Codes 64612-64614, and 67345 added to Billing and Coding section.
- 8/03 Description section revised for clarity. Added spasmodic dysphonia under "When Covered" section. Added chronic low back pain under "When Not Covered" section. Reformatted "When Covered" and "When Not Covered" sections for ease of reading. Removed codes 64040 and 67399 from Billing and Coding section. Added Codes S2340 and S2341 to Billing and Coding section. Added references.
- 8/26/04 Specialty Matched Consultant Advisory Panel review. No changes to criteria. Benefits Application and Billing/Coding sections updated for consistency. Reference sources added.
- 2/17/05 Added the following statement to "When Covered" and "Policy Guidelines" sections: Refer to separate policy number MED1215, titled "Hyperhidrosis, Treatment of " regarding Botulinum toxin injection guidelines for patients with primary Hyperhidrosis. Key word added.
- 1/19/06 Added 2006 CPT codes 46505, 64653, 95873, 95874 to Billing/Coding section.
- 9/18/06 Under "When Covered" section, added "Botulinum toxin may be considered medically necessary as a treatment of incontinence due to detrusor overreactivity caused by spinal cord injury that is inadequately controlled with anticholinergic therapy." Under "When not Covered" section, 3.c. now reads "headache including migraine, chronic tension, chronic daily, and cervicodystonic headaches". Added 3.i. sialorrhea (drooling); 3.j. lateral epicondylitis; 3.k. benign prostatic hyperplasia; 3.l. detrusor overreactivity not due to spinal cord injury; 3.m. detrusor sphincteric dyssynergia. Medical term definitions added. Reference sources added.
- 6/4/07 Specialty Matched Consultant Advisory Panel review (re: urological indications) 5/2007. No changes to criteria. Reference sources added.
- 8/27/07 Under "**When Covered**" section: 1.c.- added "such as hemifacial spasm"; 1.d.- added "(see "Policy Guidelines" section for use of Botulinum Toxin for this indication)"; 2.i.- added "or to demyelinating conditions such as multiple sclerosis."; deleted 2.k. Spasmodic torticollis; 3.b.- revised to "lower esophageal achalasia where the patient has not responded to dilation therapy or where the patient is considered a poor surgical candidate." Under "**When not Covered**" section: 3.a.- end of sentence revised to "and cervicogenic or "cervicodystonic"; added 3.l. priformis syndrome. Under "**Policy Guidelines**" section: Added A.1-5: Use of Botulinum Toxin for Cervical Dystonia (Spasmodic Torticollis): **ALL** of the following criteria must be met: 1) Postural disturbance and pain must be of moderate or greater severity as documented by interference with specific activities of daily living and unresponsive to a trial of appropriate standard conservative therapy that may include non-narcotic analgesics, muscle relaxants and physical modalities; **AND** 2) There are

Policy: Botulinum Toxin Injection

clonic and/or tonic involuntary contractions of multiple neck muscles (that is, sternocleidomastoid, splenius, trapezius and/or posterior cervical muscles); **AND** 3) There is sustained head torsion and/or tilt with limited range of motion in the neck; **AND** 4) The duration of the condition must be greater than six months; **AND** 5) Alternative causes of the patient's symptoms have been considered and ruled out including chronic neuroleptic treatment, cervicogenic headaches, myofascial pain syndrome, contractures or other neuromuscular conditions. Added B. Contraindications for use of Botulinum toxin: 1) Absolute: a. Inflammation or infection at the site of injection. b. Allergy to the drug. 2) Relative: a. Inability of patient to cooperate b. Coagulopathy c. Disease of neuromuscular transmission: i. Myasthenia Gravis ii. Eaton Lambert Syndrome iii. Amyotrophic lateral sclerosis iv. Peripheral neuropathy v. Motor neuron disease d. Concurrent use of medications that affect neuromuscular transmission such as aminoglycoside antibiotics. **Medical Term Definitions** added. Notification given 8/27/07. Effective date 11/5/07.

- 4/7/08 Added FDA warning information to the "Description" section; "Please note that the US Food & Drug Administration (FDA) has issued a warning regarding the use of botulinum toxin. It has been reported that there have been serious systemic adverse reactions including respiratory distress and death from botulinum toxins types A and B. The adverse events have occurred in both FDA approved and unapproved uses. Most of the adverse events have occurred in children treated for cerebral palsy associated limb spasticity. Safety, efficacy and dosage has not be established of the use of Botulinum toxins for limb spasticity of cerebral palsy or any condition in children under the age of 12. Also added the following to the "When Covered" section; **"The treating physician should carefully review the above FDA issued warning. Use of botulinum toxin for off-label indications should only be done when the treating physician has determined that the benefits of the treatment clearly outweigh the risks of the therapy."** References added.
- 7/14/08 Specialty Matched Consultant Advisory review 5/29/08. Added comment; "(See "Policy Guidelines" section for use of Botulinum Toxin for this indication)" to 3.a. under the "When Covered" section. Changed the wording in #5 under the "When Covered" section to read "either idiopathic or due to neurogenic causes" and added "multiple sclerosis" as an example. Added additional examples of non-covered indications under the "When Covered" section. These are "c. joint pain, d. mechanical neck disorders, e. neuropathic pain after neck dissection, g. pain after hemorrhoidectomy or lumpectomy, and n. interstitial cystitis." No change to policy intent. Added "Myoclonus and Tics" to "Definition" section. References added.
- 1/12/09 Revised "Description" section to add; "Type A (Botox®) is more potent and longer acting than type B (Myobloc®). Units and dosing are not equivalent and cannot be interchanged." The word "warning" was removed from the statement; "(FDA) has issued an early communication regarding an on-going safety review" and added "The FDA plans to communicate to the public its findings, resulting recommendations, and any regulatory actions after the review of the data are completed." Updated the "When Covered" section with the following changes; "2. dystonia/spasticity resulting in functional impairment (interference with joint function, mobility, communication, nutritional intake)" and statement " The treating physician should carefully review the above FDA issued warning." Added additional wording for clarifications to various indications and an additional indication; "2.k.Spinal cord or traumatic brain injury;". Added additional wording for clarification to various indications in the "When Not Covered" section and "4.The use of assays to detect antibodies to botulinum toxin is considered investigational." Added "In cases for which botox has been approved in the past, medical records are required yearly to document ongoing effectiveness of botox" to the "Policy Guidelines" section. References added.

Policy: Botulinum Toxin Injection

Medical policy is not an authorization, certification, explanation of benefits or a contract. Benefits and eligibility are determined before medical guidelines and payment guidelines are applied. Benefits are determined by the group contract and subscriber certificate that is in effect at the time services are rendered. This document is solely provided for informational purposes only and is based on research of current medical literature and review of common medical practices in the treatment and diagnosis of disease. Medical practices and knowledge are constantly changing and BCBSNC reserves the right to review and revise its medical policies periodically.